



NEOLUX®
GERMAN TECHNOLOGY

Xenon Standard 35 W PK32d-2

The NEOLUX 12 V xenon headlight lamps are characterized by an especially long life and a light color and intensity which create a daylight effect. The result: a better-illuminated road.



Product family benefits

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights

Product family features

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

Areas of application

- Headlight



NX1S

Electrical data

| | |
|-----------------|--------|
| Nominal wattage | 3500 W |
| Nominal voltage | 850 V |

Photometrical data

| | |
|-------------------|--------|
| Color temperature | 4250 K |
|-------------------|--------|

Dimensions & weight

| | |
|----------------|--------|
| Product weight | 5900 g |
| Length | 832 mm |

Additional product data

| | |
|-----------------------------|---------|
| Base (standard designation) | PK32d-2 |
|-----------------------------|---------|

Certificates & standards

| | |
|--------------|-----|
| ECE category | D1S |
|--------------|-----|

Logistical data


| | |
|-----------------|------|
| Order reference | NX1S |
|-----------------|------|

Environmental information

| | |
|----------------------------------|--|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4052899215955 4055462206763 4055462206848 4052899589315 4055462299024 4055462250407 |
| Candidate List Substance 1 | Lead |
| CAS No. of substance 1 | 7439-92-1 |
| Safe Use Instruction | The identification of the Candidate List substance is sufficient to allow safe use of the article. |
| Declaration No. in SCIP database | 9db66819-9f35-48bf-b0f4-1ee842f834a3 cc2e7cfc-4fb3-4551-91e1-2b14ebe658d2 00062f57-f316-4b29-a061-dcabc68aa7c3 35336669-a06a-49c1-93df-cc582ab57443 715d5416-6235-4e5e-b45b-a31f64cdc9cf |

Packaging Information

| Packaging description | EAN | Packaging type | Amount of article |
|-----------------------|---------------|----------------|-------------------|
| NX1S | 4052899215955 | Folding box | 1 |



Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs

NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com