

Standard 51 W 12 V P22d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



Product family benefits

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products


Product family features

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution

Areas of application

Headlight

Product datasheet




Application (Category and Product specific)	Halogen headlight lamp	
Electrical data		
Power input	62 W	
Test voltage	13.2 V	
Nominal wattage	5100 W	
Nominal voltage	120 V	
Photometrical data		
Luminous flux	1095 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	1800 g	
Length	803 mm	
Diameter	1200 mm	
Lifespan		
Lifespan Tc	1720 h	
Lifespan B3	860 h	
Additional product data		
Base (standard designation)	P22d	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	HB4	
British standard	9006	
Logistical data		
Order reference	N9006	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4008321990822 4052899200449 4052899995314 4055462219565 4055462370686 4055462370662 4055462370648	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N9006	4008321990822	Folding box	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com