

## Standard 35 W 12 V PGJ19-1

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



## **Product family benefits**

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products

## **Product family features**

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution


## Areas of application

Headlight



| Application (Category and Product specific) | Halogen headlight<br>lamp   |  |
|---|---|--|
| Electrical data                             |   |  |
| Power input                                 | 43 W  |  |
| Test voltage                                | 13.2 V  |  |
| Nominal wattage                             | 35.00 W   |  |
| Nominal voltage                             | 12.0 V  |  |
| Photometrical data                          |   |  |
| Luminous flux                               | 800 lm  |  |
| Luminous flux tolerance                     | ±15 %   |  |
| Dimensions & weight                         |   |  |
| Product weight                              | 22.54 g   |  |
| Length                                      | 67.0 mm   |  |
| Diameter                                    | 12.0 mm   |  |
| Lifespan                                    |   |  |
| Lifespan Tc                                 | 800 h   |  |
| Lifespan B3                                 | 400 h   |  |
| Additional product data                     |   |  |
| Base (standard designation)                 | PGJ19-1   |  |
| Capabilities                                |   |  |
| Technology                                  | Halogen lamp  |  |
| Certificates & standards                    |   |  |
| ECE category                                | H8  |  |
| Logistical data                             |   |  |
| Order reference                             | N708  |  |
| Environmental information                   |   |  |
| Date of Declaration                         | 06-03-2024  |  |
| Primary Article Identifier                  | 4052899451674  <br>4055462201805  <br>4052899995550  <br>4055462248756  <br>5011274070809 |  |
| Candidate List Substance 1                  | No declarable substances contained  |  |
| Declaration No. in SCIP database            | In work   |  |
|   |   |  |

| Packaging description<br>NEOLUX | EAN           | Packaging type | Amount of article |
|---------------------------------|---------------|----------------|-------------------|
| N708                            | 4052899451674 | Folding box    | 1                 |





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020