

Standard 60 W 12 V P20d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



Product family benefits

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products

Product family features

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution

Areas of application

Headlight



Product datasheet




Application (Category and Product specific)	Halogen headlight lamp	
Electrical data		
Power input	73 W	
Test voltage	13.2 V	
Nominal wattage	6000 W	
Nominal voltage	120 V	
Photometrical data		
Color temperature	3200 K	
Luminous flux	1860 lm	
Luminous flux tolerance	±12 %	
Dimensions & weight		
Product weight	1820 g	
Length	803 mm	
Diameter	1200 mm	
Lifespan		
Lifespan Tc	550 h	
Lifespan B3	280 h	
Additional product data		
Base (standard designation)	P20d	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	HB3	
Logistical data		
Order reference	N9005	
Environmental information		
Date of Declaration	05-03-2024	
Primary Article Identifier	4008321990815 4052899200418 405289995291 4055462219541 4055462246127 4055462301857 5011426357888	
Candidate List Substance 1	No declarable substances contain	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N9005	4008321990815	Folding box	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com