


Standard 55 W 12 V PK22s

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



Product family benefits

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products

Product family features

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution

Areas of application

Headlight

Product datasheet






| Application (Category and Product specific) | Halogen headlight lamp | |
|---|--|--|
| Electrical data | | |
| Power input | 68 W | |
| Test voltage | 13.2 V | |
| Nominal wattage | 55.00 W | |
| Nominal voltage | 120 V | |
| Photometrical data | | |
| Color temperature | 3200 K | |
| Luminous flux | 1450 lm | |
| Luminous flux tolerance | ±15 % | |
| Dimensions & weight | | |
| Product weight | 690 g | |
| Length | 420 mm | |
| Diameter | 1200 mm | |
| Lifespan | | |
| Lifespan Tc | 650 h | |
| Lifespan B3 | 150 h | |
| Additional product data | | |
| Base (standard designation) | PK22s | |
| Capabilities | | |
| Technology | Halogen lamp | |
| Certificates & standards | | |
| ECE category | H3 | |
| British standard | 453 | |
| Logistical data | | |
| Order reference | N453 | |
| Environmental information | | |
| Date of Declaration | 06-03-2024 | |
| Primary Article Identifier | 4006584363902 4008321760647 4008321771193 4052899198494 4055462201768 4055462246240 5011274045302 4055462309457 | |
| Candidate List Substance 1 | No declarable substances contain | |
| Declaration No. in SCIP database | In work | |

Packaging Information

| Packaging description NEOLUX | EAN | Packaging type | Amount of article |
|------------------------------|---------------|----------------|-------------------|
| N453 | 4008321760647 | Folding box | 1 |
| N453-01B | 4008321771193 | Blister | 1 |





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com