



NEOLUX®
GERMAN TECHNOLOGY

Standard 55 W 12 V PX26d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



N499

Product family benefits

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products

Product family features

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution

Areas of application

- Headlight



N499




N499-01B

Product information	
Application (Category and Product specific)	Halogen headlight lamp
Electrical data	
Power input	58 W
Test voltage	13.2 V
Nominal wattage	55.00 W
Nominal voltage	12.0 V
Photometrical data	
Luminous flux	1500 lm
Luminous flux tolerance	±10 %
Dimensions & weight	
Product weight	12.50 g
Length	59.0 mm
Diameter	12.0 mm
Lifespan	
Lifespan Tc	550 h
Lifespan B3	330 h
Additional product data	
Base (standard designation)	PX26d
Capabilities	
Technology	Halogen lamp
Certificates & standards	
ECE category	H7
British standard	477/499
Logistical data	
Order reference	N499
Environmental information	
Date of Declaration	06-03-2024
Primary Article Identifier	4006584053117 4006584359110 4008321765789 4008321771612 4052899141568 4052899198340 4055462080288 4052899424456 4052899569331 4055462241054 4055462246349 5011274047702 4055462256119 4055462262523 4055462262448 4055462301819 5011274947712 4055462304032 4055462431462
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499	4008321765789	Folding box	1
N499-01B	4008321771612	Blister	1



NEOLUX[®]
GERMAN TECHNOLOGY

www.neolux-lighting.com

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020