


Standard 60 W 12 V P20d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



N9005



Product family benefits

- Suitable for the most common headlight lamps
- Affordable
- Reliable manufacturer
- Good illumination of the road
- Reliable products

Product family features

- Broad product range
- Good and reliable quality thanks to German technology
- ECE certified lamps
- Normed light output
- Basis for good light distribution


Areas of application

Headlight



Application (Category and Product specific) Halogen headlight lamp	
Electrical data		
Power input	73 W	
Test voltage	13.2 V	
Nominal wattage	6000 W	
Nominal voltage	120 V	
Photometrical data		
Color temperature	3200 K	
Luminous flux	1860 lm	
Luminous flux tolerance	±12 %	
Dimensions & weight		
Product weight	1820 g	
Length	803 mm	
Diameter	1200 mm	
Lifespan		
Lifespan Tc	550 h	
Lifespan B3	280 h	
Additional product data		
Base (standard designation)	P20d	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	HB3	
Logistical data Order reference	N9005	
	19005	
Environmental information	05.07.2024	
Date of Declaration	05-03-2024	
Primary Article Identifier	4008321990815 4052899200418 4052899995291 4055462219541 4055462246127 4055462301857 5011426357888	
Candidate List Substance 1	No declarable substances containe	
Declaration No. in SCIP database	In work	
Packaging Information		
Packaging description EAN	Packaging type Amount	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N9005	4008321990815	Folding box	1





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020