



NEOLUX®
GERMAN TECHNOLOGY

Extra Light 55 W 12 V PX26d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



N499EL

Product family benefits

- Better visibility
- Remarkable illumination
- Extra light enables drivers to see farther and thereby allows greater reaction time
- Earlier recognition of risks, barriers, and signs
- Affordable

Product family features

- Up to 50 % extra light
- High performance
- More brightness
- ECE certified lamps
- Good and reliable quality thanks to German technology


Areas of application

- Headlight
- Ideal for use in clear-glass headlights



Product information	
Application (Category and Product specific)	Halogen headlight lamp
Electrical data	
Power input	58 W
Test voltage	13.2 V
Nominal wattage	5500 W
Nominal voltage	120 V
Photometrical data	
Luminous flux	1550 lm
Luminous flux tolerance	±10 %
Dimensions & weight	
Product weight	1250 g
Length	590 mm
Diameter	1200 mm
Lifespan	
Lifespan Tc	220 h
Lifespan B3	150 h
Additional product data	
Base (standard designation)	PX26d
Capabilities	
Technology	Halogen lamp
Certificates & standards	
ECE category	H7
British standard	477/499
Logistical data	
Order reference	N499EL
Environmental information	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321545725 4008321761132 4008321765819 4008321771339 4006584825707 4052899466357 4052899501096 4055462203021 4052899998780 4055462241290 4055462246387 4055462262301
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information			
Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
N499EL-2SCB	4052899501096	Soft cover box	2



Legal advice

Compared to minimum ECE R112/R37 requirements

NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com