


Extra Light 55 W 12 V P14.5s

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.






- Better visibility
- Remarkable illumination
- Extra light enables drivers to see farther and thereby allows greater reaction time
- Earlier recognition of risks, barriers, and signs
- Affordable

Product family features

- Up to 50 % extra light
- High performance
- More brightness
- ECE certified lamps
- Good and reliable quality thanks to German technology


Areas of application

- Headlight
- · Ideal for use in clear-glass headlights



Application (Category and Product specific)	Halogen headlight lamp	
Electrical Data		
Power input	68 W	
Test voltage	13.2 V	
Nominal wattage	55 W	
Nominal voltage	12.0 V	
Photometric Data		
Color temperature	3200 K	
Nominal luminous flux	1550 lm	
Luminous flux tolerance	±15 %	
Physical Attributes & Dimensions		
Product weight	6.30 g	
Length	62.5 mm	
Lamp base	P14.5s	
Diameter	8.5 mm	
Lifetime Data		
Lifespan Tc	350 hr	
Lifespan B3	150 hr	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H1	
British standard	448	
Logistical data		
Order reference	N448EL	
Environmental & Regulatory Information		
Date of declaration	09-07-2024	
Primary article identifier	4052899500952 4052899466418	
Candidate list substance 1	No declarable substances containe	
Declaration no. in SCIP database	In work	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N448EL	4052899466432		
N448EL-2SCB	4052899500952	SOFT COVER BOX	2



Legal advice

Compared to minimum ECE R112/R37 requirements



www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020