NEOLUX®
GERMAN TECHNOLOGY

Extra Light 55 W 12 V PX26d

Car lamps from NEOLUX ensure the roads ahead are well-lit and visible to others.



N499EL

Areas of application

- Headlight
- Ideal for use in clear-glass headlights



N499EL

N499EL-2SCB

Product information	
Application (Category and Product specific)	Halogen headlight lamp

Electrical Data	
Power input	58 W
Test voltage	13.2 V
Nominal wattage	55 W
Nominal voltage	12 V

Photometric Data	
Nominal luminous flux	1550 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions	
Product weight	10.07 g
Length	59.0 mm
Lamp base	PX26d
Diameter	9.8 mm

Lifetime Data	
Lifespan Tc	220 hr
Lifespan B3	150 hr

Capabilities	
Technology	Halogen lamp

Certificates & standards	
ECE category	H7
British standard	477/499

Logistical data	
Order reference	N499EL

Environmental & Regulatory Information	
Primary article identifier	4008321765819 | 4008321771339 | 4052899466357 | 4008321761132 | 4052899501096
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499EL-2SCB	4052899501096	SOFT COVER BOX	2



Legal advice
Compared to minimum ECE R112/R37 requirements

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com