




**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Standard 21 W 12 V BAU15s



### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N581



N581-02B

**Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

**Electrical Data**

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal wattage	21 W
Nominal voltage	12 V

**Photometric Data**

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

**Physical Attributes & Dimensions**

Diameter	25.0 mm
Diameter	25.0 mm
Product weight	8.00 g
Length	52.6 mm
Lamp base	BAU15s

**Lifetime Data**

Lifespan Tc	320 hr
Lifespan B3	120 hr

**Certificates & standards**

ECE category	PY21W
British standard	581

**Logistical data**

Order reference	N581
-----------------	------

**Environmental & Regulatory Information**


Primary article identifier	4008321770899   4008321781079   4008321770509   4062172200943   4008321842732
----------------------------	---

Candidate list substance 1	No declarable substances contained
----------------------------	------------------------------------

Declaration no. in SCIP database	No declarable substances contained
----------------------------------	------------------------------------

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
N581	4008321770509	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N581-02B	4008321781079	BLISTER	2



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)