

## Standard 4 W 12 V BA9s



## **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

## **Product family features**

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution


## Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



Application (Category and Product specific)	Auxiliary lamp	
rrest (carge) and reduce specific)		
Electrical data		
Power input	4 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	
Nominal wattage	400 W	
Nominal voltage	120 V	
Photometrical data		
Luminous flux	35 lm	
Luminous flux tolerance	±20 %	
Dimensions & weight		
Diameter	900 mm	
Product weight	186 g	
Length	274 mm	
Lifespan		
Lifespan Tc	750 h	
Lifespan B3	300 h	
Additional product data Base (standard designation)	BA9s	
Certificates & standards		
ECE category	T4W	
British standard	233	
Logistical data Order reference	N077	
	N233	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	5010633537083   4006584920495   4006584827770   4055462156099   4055462301000	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N233	4006584920495	Folding box	10





NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com