

# Standard 10 W 12 V BAU15s



## **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

#### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting


# **Product datasheet**



Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Test voltage	13.5 V	
Nominal wattage	1000 W	
Nominal voltage	120 V	
Dimensions & weight		
Diameter	1600 mm	
Product weight	550 g	
Length	375 mm	
Lifespan		
Lifespan Tc	300 h	
Lifespan B3	100 h	
Additional product data Base (standard designation)	BAU15s	
Certificates & standards		
ECE category	RY10W	
British standard	245A	
Logistical data		
Order reference	N245A	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4008321768407   4055462245502	
Candidate List Substance 1	No declarable substances contain	
Declaration No. in SCIP database	In work	

# **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N245A	4008321768407	Folding box	10



## **Product datasheet**



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com