

Standard 21 W 12 V W3x16d



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application


- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product datasheet



Application (Category a	nd Product specific)	Auxiliary	lamp	
Electrical data				
Test voltage			13.5 V	
Nominal wattage		21.00 W		
Nominal voltage		12.0 V		
Photometrical data				
Luminous flux		460 lm		
Dimensions & weight				
Diameter		20.0 mm	20.0 mm	
Product weight		6.80 g	6.80 g	
Length		47.5 mm		
Lifespan				
Lifespan Tc		600 h		
Lifespan B3		400 h		
Additional product data	1			
Base (standard designation)		W3x16d		
Certificates & standard ECE category	S	W21W		
British standard		582		
DITUSTI Standard		362		
Logistical data				
Order reference		N582		
Environmental informa	tion			
Date of Declaration		06-03-20	06-03-2024	
Primary Article Identifier		4052899 4055462	4008321768346 4052899346697 4055462259394 4055462301116	
Candidate List Substance 1		No declarable substances contained		
Declaration No. in SCIP database		In work		
Packaging Information	on			
DIiii	EAN	Packaging type	Amount of	
Packaging description NEOLUX		5 5 7.	article	

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com