

# **Standard 21/5 W 12 V W3x16q**



#### **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

#### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

## **Product datasheet**




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Test voltage	13.5 V	
Nominal wattage	21/5 W	
Nominal voltage	12.0 V	
Dimensions & weight		
Diameter	20.0 mm	
Product weight	6.80 g	
Length	47.5 mm	
Lifespan		
Lifespan Tc	3000 h	
Lifespan B3	400 h	
Additional product data  Base (standard designation)	W3x16q	
Certificates & standards ECE category	W21/5W	
British standard	580	
Logistical data		
<b></b>	N580	
Order reference		
Order reference  Environmental information  Date of Declaration	06-03-2024	
Environmental information Date of Declaration	06-03-2024 4008321768377   4052899346666   4055462259417   4055462301130	
Environmental information	4008321768377   4052899346666   4055462259417	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N580	4008321768377	Folding box	10

### **Product datasheet**





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com