

**NEOLUX®**  
GERMAN TECHNOLOGY

## Standard 5 W 12 V SV8.5-8



### Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

### Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N239



N239-02B

Electrical data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	500 W
Nominal voltage	120 V

Photometrical data

Luminous flux	45 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Diameter	1100 mm
Product weight	290 g
Length	360 mm

Lifespan

Lifespan Tc	750 h
Lifespan B3	350 h

Additional product data

Base (standard designation)	SV8,5-8
-----------------------------	---------

Certificates & standards

ECE category	C5W
British standard	239

Logistical data


Order reference	N239
-----------------	------

Environmental information

Date of Declaration	06-03-2024
Primary Article Identifier	5010633537182   4006584921515   4008321770356   4008321770837   4008321780553   4008321867490   4055462033413   4055462054548   4052899338210   4055462300836   4055462432193
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX			
N239	4008321770356	Folding box	10
N239-02B	4008321780553	Blister	2



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)