



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 5 W 12 V W2.1x9.5d



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N501



N501-02B

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	5 W
Nominal voltage	12 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Diameter	10.0 mm
Diameter	10.0 mm
Product weight	1.30 g
Length	26.8 mm
Lamp base	W2.1x9.5d

Lifetime Data

Lifespan Tc	500 hr
Lifespan B3	200 hr

Certificates & standards

ECE category	W5W
British standard	501

Logistical data

Order reference	N501
-----------------	------

Environmental & Regulatory Information


Primary article identifier	4008321812452 4052899560925 4006584920723 5010633537069 4008321776099
----------------------------	---

Candidate list substance 1	No declarable substances contained
----------------------------	------------------------------------

Declaration no. in SCIP database	No declarable substances contained
----------------------------------	------------------------------------

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
N501	4006584920723	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N501-02B	4008321776099	BLISTER	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com