



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 5 W 12 V BA15s



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N207



N207-02B

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	5 W
Nominal voltage	12 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Diameter	19.0 mm
Product weight	6.00 g
Length	37.5 mm
Lamp base	BA15s

Lifetime Data

Lifespan Tc	300 hr
Lifespan B3	100 hr

Certificates & standards

ECE category	R5W
British standard	207

Logistical data


Order reference	N207
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4052899247406 4006584921225 4008321812636 5010633537045 4008321780966
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N207	4006584921225	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N207-02B	4008321780966	BLISTER	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com