



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 21 W 12 V BAU15s



N581

Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N581



N581-02B

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal wattage	21 W
Nominal voltage	12.0 V

Photometric Data

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Diameter	25.0 mm
Product weight	8.00 g
Length	52.6 mm
Lamp base	BAU15s

Lifetime Data

Lifespan Tc	320 hr
Lifespan B3	120 hr

Certificates & standards

ECE category	PY21W
British standard	581

Logistical data


Order reference	N581
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321770899 4008321781079 4008321770509 4062172200943 4008321842732
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N581	4008321770509	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N581S	4008321770899	FOLDING BOX	1
N581-02B	4008321781079	BLISTER	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com