



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 21 W 12 V BA15s



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N382



N382-02B

Electrical Data

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal wattage	21 W
Nominal voltage	12.0 V

Photometric Data

Nominal luminous flux	460 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions

Diameter	27.0 mm
Product weight	7.20 g
Length	52.5 mm
Lamp base	BA15s

Lifetime Data

Lifespan Tc	320 hr
Lifespan B3	120 hr

Certificates & standards

ECE category	P21W
British standard	382

Logistical data


Order reference	N382
-----------------	------

Environmental & Regulatory Information

Date of declaration	14-10-2024
Primary article identifier	4008321770479 4008321770929 4008321781154 4008321812674
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In Vorbereitung

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N382	4008321770479	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N382S	4008321770929	FOLDING BOX	1
N382-02B	4008321781154	BLISTER	2



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com