



**NEOLUX<sup>®</sup>**  
GERMAN TECHNOLOGY

## Standard 21/5 W 12 V BAY15d



### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N380



N380-02B

**Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

**Electrical Data**

Power input	25 W
Test voltage	13.5 V
Power input tolerance	±6 %
Nominal voltage	12 V

**Photometric Data**

Nominal luminous flux	440/35 lm
Luminous flux tolerance	±15 %

**Physical Attributes & Dimensions**

Diameter	25.0 mm
Product weight	10.50 g
Length	52.5 mm
Lamp base	BAY15d

**Lifetime Data**

Lifespan Tc	160 hr
Lifespan B3	60 hr

**Certificates & standards**

ECE category	P21/5W
British standard	380

**Logistical data**


Order reference	N380
-----------------	------

**Environmental & Regulatory Information**

Primary article identifier	4008321770448   4008321799555   4008321812698   4008321770868   4052899225619
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
N380	4008321770448	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N380S	4008321770868	FOLDING BOX	1
N380-02B	4008321799555	BLISTER	2



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)