



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Standard 5 W 12 V BA15d



### Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

### Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N209

**Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

**Electrical Data**

Test voltage	13.5 V
Nominal wattage	5 W
Nominal voltage	12.0 V

**Physical Attributes & Dimensions**

Diameter	19.0 mm
Product weight	6.00 g
Length	37.5 mm
Lamp base	BA15d

**Lifetime Data**

Lifespan Tc	300 hr
Lifespan B3	100 hr

**Certificates & standards**

ECE category	R5W
British standard	209

**Logistical data**


Order reference	N209
-----------------	------

**Environmental & Regulatory Information**

Primary article identifier	4006584920419
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N209	4006584920419	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



Product datasheet



NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)