

Standard 4 W 12 V BA9s



Product family benefits


- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N233

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical data

Power input	4 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	4.00 W
Nominal voltage	12.0 V

Photometrical data

Luminous flux	35 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Diameter	9 mm
Product weight	1.86 g
Length	27.4 mm

Lifespan

Lifespan Tc	750 h
Lifespan B3	300 h

Additional product data

Base (standard designation)	BA9s
-----------------------------	------

Certificates & standards


ECE category	T4W
British standard	233

Logistical data

Order reference	N233
-----------------	------

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N233	4006584920495	Folding box	10
N233S	5010633537083	Folding box	1





NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com