

## Standard 3 W 12 V W2.1x9.5d



## Areas of application


- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



Electrical Data Power input		
Power input	7 \\/	
	3 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	
Nominal wattage	3 W	
Nominal voltage	12 V	
Photometric Data		
Nominal luminous flux	22 lm	
Luminous flux tolerance	±30 %	
Physical Attributes & Dimensions		
Diameter	10.0 mm	
Diameter	10.0 mm	
Product weight	1.34 g	
Length	26.8 mm	
Lamp base	W2.1x9.5d	
Lifetime Data		
Lifespan Tc	1500 hr	
Lifespan B3	500 hr	
Certificates & standards		
ECE category	W3W	
British standard	504	
Logistical data		
Order reference	N504	
Environmental & Regulatory Information Primary article identifier	4008321770561	
Candidate list substance 1	No declarable	
	substances containe	
Declaration no. in SCIP database	No declarable substances containe	

## ۱g

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N504	4008321770561	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1





www.neolux-lighting.com

NEOLUX Automotive Lighting OSRAM GmbH Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020