

# Standard 6 W 12 V BAX9s



## **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

#### **Product family features**

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

#### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

# **Product datasheet**




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	7 W	
Test voltage	13.5 V	
Power input tolerance	±5 %	
Nominal wattage	6.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	125 lm	
Luminous flux tolerance	±12 %	
Dimensions & weight		
Diameter	9 mm	
Product weight	2.30 g	
Length	33.0 mm	
Lifespan		
Lifespan Tc	500 h	
Lifespan B3	200 h	
Additional product data		
Base (standard designation)	BAX9s	
Certificates & standards		
ECE category	H6W	
British standard	434	
Logistical data		
Order reference	N434	
Environmental information  Date of Declaration	06-03-2024	
Primary Article Identifier	4055462301086	
Timary Article Identifier	4052899343795	
	4008321770387	
Condidate List Substance 1	4055462029966	
Candidate List Substance 1	No declarable substances containe	
Declaration No. in SCIP database	In work	

# **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N434	4008321770387	Folding box	10

## **Product datasheet**





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com