

Standard 6 W 12 V BAX9s



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application


- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



Power input	7 W
Test voltage	13.5 V
Power input tolerance	±5 %
Nominal wattage	6.00 W
Nominal voltage	12.0 V
Photometrical data	
Luminous flux	125 lm
Luminous flux tolerance	±12 %
Dimensions & weight	
Diameter	9 mm
Product weight	2.30 g
Length	33.0 mm
Lifespan	
Lifespan Tc	500 h
Lifespan B3	200 h
Additional product data	
Base (standard designation)	BAX9s
Certificates & standards	
ECE category	H6W
British standard	434
Logistical data	
Logistical data Order reference	N434

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N434	4008321770387	Folding box	10
N434S	4052899343795	Folding box	1





Marcel-Breuer-Str 6 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

Product datasheet

www.neolux-lighting.com