



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 6 W 12 V BAX9s



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N434

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	7 W
Test voltage	13.5 V
Power input tolerance	±5 %
Nominal wattage	6 W
Nominal voltage	12 V

Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±12 %

Physical Attributes & Dimensions

Diameter	9 mm
Diameter	9 mm
Product weight	2.30 g
Length	33.0 mm
Lamp base	BAX9s

Lifetime Data

Lifespan Tc	500 hr
Lifespan B3	200 hr

Certificates & standards

ECE category	H6W
British standard	434

Logistical data


Order reference	N434
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321770387 4052899343795
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N434	4008321770387	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com