

Standard 10 W 12 V SV8.5-8



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product datasheet






Electrical data		
Power input	10 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	
Nominal wattage	10.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Luminous flux	100 lm	
Dimensions & weight		
Diameter	11.0 mm	
Product weight	2.00 g	
Length	41.0 mm	
Lifespan		
Lifespan Tc	380 h	
Lifespan B3	175 h	
Additional product data		
Base (standard designation)	SV8.5-8	
Certificates & standards		
British standard	264	
Logistical data		
Order reference	N264	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4006584515219 4008321780584 4052899491472 4052899995451 4008321770684	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N264	4008321770684	Folding box	10
N264-02B	4008321780584	Blister	2

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com