

Standard 21 W 12 V W3x16d



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N582

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical data

Test voltage	13.5 V
Nominal wattage	21.00 W
Nominal voltage	12.0 V

Photometrical data

Luminous flux	460 lm
---------------	--------

Dimensions & weight

Diameter	20.0 mm
Product weight	6.80 g
Length	47.5 mm

Lifespan

Lifespan Tc	600 h
Lifespan B3	400 h

Additional product data

Base (standard designation)	W3x16d
-----------------------------	--------

Certificates & standards


ECE category	W21W
British standard	582

Logistical data

Order reference	N582
-----------------	------

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N582	4008321768346	Folding box	10
N582S	4052899346697	Folding box	1



Product datasheet

www.neolux-lighting.com