

# **Standard 21/5 W 12 V W3x16q**



### Areas of application

- · Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

### **Product datasheet**




Application (Category and Product specific)	Auxiliary lamp	
Electrical Data		
Test voltage	13.5 V	
Nominal voltage	12 V	
Physical Attributes & Dimensions		
Diameter	20.0 mm	
Diameter	20.0 mm	
Product weight	6.80 g	
Length	47.5 mm	
Lamp base	W3x16q	
<b>Lifetime Data</b> Lifespan Tc	3000 hr	
Lifespan B3	400 hr	
Certificates & standards		
ECE category	W21/5W	
British standard	580	
Logistical data		
Order reference	N580	
Environmental & Regulatory Information		
Primary article identifier	4008321768377   4052899346666	
Candidate list substance 1	No declarable substances contain	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N580	4008321768377	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N580S	4052899346666	FOLDING BOX	1

#### **Product datasheet**





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com