Standard 5 W 12 V W2.1x9.5d

N501

Product family benefits
- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features
- Broad product range
- Good quality thanks to German technology
- Lamps for exterior applications are ECE certified
- Normed light output
- Basis for good light distribution

Areas of application
- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product datasheet

N501

N501-02B

Product information

Application (Category and Product specific)	Auxiliary lamp

Electrical data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	500 W
Nominal voltage	120 V

Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight

Diameter	1000 mm
Product weight	130 g
Length	268 mm

Lifespan

Lifespan Tc	500 h
Lifespan B3	200 h

Additional product data

Base (standard designation)	W2.1x9.5d

Certificates & standards

ECE category	W5W
British standard	501

Logistical data

Order reference	N501

Environmental information

Date of Declaration	06-03-2024
Primary Article Identifier	5010633537069 | 4006584920723 | 4006584590445 | 4008321776099 | 4008321812452 | 4055462054432 | 4052899560925 | 4055462205896 | 4055462205865 | 4055462205834 | 4055462301055 | 4055462347145 | 4006584735662
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N501	4006584920723	Folding box	10
N501-02B	4008321776099	Blister	2
N501S	5010633537069	Folding box	1

NEOLUX®
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax   +49 89 6213-2020

www.neolux-lighting.com