



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 5 W 12 V W2.1x9.5d



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N501



N501-02B

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	5 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	5 W
Nominal voltage	12 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Diameter	10.0 mm
Product weight	1.30 g
Length	26.8 mm
Lamp base	W2.1x9.5d

Lifetime Data

Lifespan Tc	500 hr
Lifespan B3	200 hr

Certificates & standards

ECE category	W5W
British standard	501

Logistical data


Order reference	N501
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321812452 4052899560925 4006584920723 5010633537069 4008321776099
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N501	4006584920723	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1
N501-02B	4008321776099	BLISTER	2
N501S	5010633537069	FOLDING BOX	1



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com