

# Xenon Standard 35 W PK32d-2

The NEOLUX xenon headlight lamps are characterized by its long life and a light color and intensity to create a daylight effect. Thanks to a visibly better lit road, truck drivers can see, recognize, and react to hazards on the road sooner.



#### **Product family benefits**

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights

#### **Product family features**

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

#### Areas of application

Headlight


#### **Product datasheet**



Electrical data	7500	
Nominal wattage	3500 W	
Nominal voltage	850 V	
Photometrical data		
Color temperature	4250 K	
Dimensions & weight		
Product weight	5900 g	
Length	832 mm	
Additional product data		
Base (standard designation)	PK32d-2	
Contilionary Ordered - 1		
Certificates & standards ECE category	D1S	
LCL category	013	
Logistical data		
Order reference	NX1S	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4052899215955   4055462206763   4055462206848   4052899589315   4055462299024   4055462250407	
Candidate List Substance 1	Lead	
CAS No. of substance 1	7439-92-1	
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Declaration No. in SCIP database	9db66819-9f35-48bf- b0f4-1ee842f834a3   cc2e7cfc-4fb3-4551- 91e1-2b14ebe658d2   00062f57-f316-4b29- a061-dcabc68aa7c3   35336669-a06a- 49c1-93df- cc582ab57443     715d5416-6235- 4e5e-b45b- a31f64cdc9cf	

## **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
NX1S	4052899215955	Folding box	1



### Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs



NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com