



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Xenon Standard 35 W PK32d-5

The NEOLUX xenon headlight lamps are characterized by its long life and a light color and intensity to create a daylight effect. Thanks to a visibly better lit road, truck drivers can see, recognize, and react to hazards on the road sooner.



### Areas of application

- Headlight



NX3S



NX3S-1SCB

**Electrical Data**

Nominal wattage	35 W
Nominal voltage	42 V

**Physical Attributes & Dimensions**

Product weight	60.20 g
Length	83.2 mm
Lamp base	PK32d-5

**Certificates & standards**

ECE category	D3S
--------------	-----

**Logistical data**


Order reference	NX3S
-----------------	------

**Environmental & Regulatory Information**

Primary article identifier	4052899478763   4052899589339
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	a093c83f-1319-415a-89d0-8be9015a6e73   424b537d-8aa6-4d6f-8c26-c5bd7ab5966a   6854a5ed-d04b-4fa1-9db2-11355e5dad31   de94977f-573c-4866-925c-380b5e040508   0c80d1c9-683c-487f-aef8-10051fd91402

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
NX3S	4052899478763	FOLDING BOX	1
NX3S-1SCB	4052899589339	SOFT COVER BOX	1



**Safety advice**

Xenon lamp change is recommended to be carried out by a professional and in pairs

**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)