



**NEOLUX®**  
GERMAN TECHNOLOGY

## Xenon Standard 35 W PK32d-2

The NEOLUX xenon headlight lamps are characterized by its long life and a light color and intensity to create a daylight effect. Thanks to a visibly better lit road, truck drivers can see, recognize, and react to hazards on the road sooner.



### Product family benefits

- Better visibility
- Remarkable illumination
- More light enables drivers to see farther and thereby allows greater reaction time
- Longer replacement cycle
- Suitable for many xenon headlights

### Product family features

- Clear white and bright light
- Focused light beam
- Light color and intensity create a daylight effect
- Long lifetime
- Good quality thanks to German technology

### Areas of application

- Headlight



NX1S

Electrical data

Nominal wattage	35.00 W
Nominal voltage	85.0 V

Photometrical data

Color temperature	4250 K
-------------------	--------

Dimensions & weight

Product weight	59.00 g
Length	83.2 mm

Additional product data

Base (standard designation)	PK32d-2
-----------------------------	---------

Certificates & standards

ECE category	D1S
--------------	-----

Logistical data


Order reference	NX1S
-----------------	------

Environmental information

Date of Declaration	06-03-2024
Primary Article Identifier	4052899215955   4055462206763   4055462206848   4052899589315   4055462299024   4055462250407
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	9db66819-9f35-48bf-b0f4-1ee842f834a3   cc2e7cfc-4fb3-4551-91e1-2b14ebe658d2   00062f57-f316-4b29-a061-dcabc68aa7c3   35336669-a06a-49c1-93df-cc582ab57443     715d5416-6235-4e5e-b45b-a31f64cdc9cf

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NX1S	4052899215955	Folding box	1



#### Safety advice

Xenon lamp change is recommended to be carried out by a professional and in pairs

**NEOLUX®**  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)