


Halogen Standard 75/70 W 24 V P43t



Product family benefits

- Powerful light output
- Suitable for the most common 24 V headlights
- Reliable manufacturer
- Affordable
- Reliable products

Product family features

- Vibration-resistant
- Designed specifically for 24 V
- ECE certified lamps
- Good and reliable quality thanks to German technology
- Durable

Areas of application

Headlight

Product datasheet




Application (Category and Product specific)	Halogen headlight lamp	
Electrical data		
Power input	85 W	
Test voltage	28.0 V	
Nominal wattage	75/70 W	
Nominal voltage	24.0 V	
Photometrical data		
Luminous flux	1900/1200 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	23.00 g	
Length	82.0 mm	
Diameter	17.0 mm	
Lifespan		
Lifespan Tc	400 h	
Lifespan B3	170 h	
Additional product data Base (standard designation)	P43t	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H4	
British standard	475	
Logistical data		
Order reference	N475	
Environmental information	06.07.2024	
Date of Declaration	06-03-2024	
Primary Article Identifier	4006584097135 4008321756848 4006584768875 4055462154101 405289995871 5011274047504 5011274323073	
Candidate List Substance 1	No declarable substances contain	
Declaration No. in SCIP database	In work	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N475	4008321756848	Folding box	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com