


Halogen Standard 70 W 24 V PK22s



Product family benefits

- Powerful light output
- Suitable for the most common 24 V headlights
- Reliable manufacturer
- Affordable
- Reliable products

Product family features

- Vibration-resistant
- Designed specifically for 24 V
- ECE certified lamps
- Good and reliable quality thanks to German technology
- Durable

Areas of application


Headlight

Product datasheet



Application (Category and Product specific)	Halogen headlight lamp
Electrical data	
Power input	84 W
Test voltage	28.0 V
Nominal wattage	7000 W
Nominal voltage	240 V
Photometrical data	
Color temperature	3200 K
Luminous flux	1750 lm
Luminous flux tolerance	±15 %
Dimensions & weight	
Product weight	690 g
Length	420 mm
Diameter	1200 mm
Lifespan	
Lifespan Tc	650 h
Lifespan B3	400 h
Base (standard designation)	PK22s
Capabilities Technology	Halogen lamp
	natogen tamp
Certificates & standards ECE category	H3
British standard	460
	400
Logistical data Order reference	N460
Environmental information	06-03-2024
Date of Declaration	
Primary Article Identifier	4008321760678 4052899198531 4052899995710 5011274046002 4055462274984 4055462309488
Candidate List Substance 1	No declarable substances contain
Declaration No. in SCIP database	In work

Packaging Information			
Packaging description NEOLUX	EAN	Packaging type	Amount of article
N460	4008321760678	Folding box	1





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com