


Halogen Standard 70 W 24 V PX26d



Product family benefits

- Powerful light output
- Suitable for the most common 24 V headlights
- Reliable manufacturer
- Affordable
- Reliable products


Product family features

- Vibration-resistant
- Designed specifically for 24 V
- ECE certified lamps
- Good and reliable quality thanks to German technology
- Durable

Areas of application

Headlight


Product datasheet



Application (Category and Product specific)	ic) Halogen headlight lamp	
Electrical data		
Power input	75 W	
Test voltage	28.0 V	
Nominal wattage	70.00 W	
Nominal voltage	24.0 V	
Photometrical data		
Color temperature	3200 K	
Luminous flux	1750 lm	
Luminous flux tolerance	±10 %	
Dimensions & weight		
Product weight	12.50 g	
Length	59.0 mm	
Diameter	12.0 mm	
Lifespan		
Lifespan Tc	500 h	
Lifespan B3	220 h	
Additional product data		
Base (standard designation)	PX26d	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H7	
British standard	499A	
Logistical data		
Order reference	N499A	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4006584278220 4008321765857 4052899195899 4055462154125 4055462203120 5011274999780 5055175230061	
Candidate List Substance 1	No declarable substances containe	
Declaration No. in SCIP database	In work	
Packaging Information		
Packaging description EAN	Packaging type Amount	

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N499A	4008321765857	Folding box	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com