

Standard 5 W 24 V BA15d

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- · Good quality thanks to German technology
- Normed light output

Areas of application

- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	7 W	
Test voltage	28.0 V	
Power input tolerance	±10 %	
Nominal wattage	5.00 W	
Nominal voltage	24.0 V	
Photometrical data		
Luminous flux	50 lm	
Luminous flux tolerance	±25 %	
Dimensions & weight		
Product weight	7.00 g	
Length	37.5 mm	
Diameter	16.0 mm	
Lifespan		
Lifespan Tc	225 h	
Lifespan B3	80 h	
Additional product data		
<u> </u>	BA15d	
Base (standard designation)		
Certificates & standards	R5W	
	R5W 150	
Certificates & standards ECE category British standard		
Certificates & standards ECE category British standard Logistical data	150	
Certificates & standards ECE category British standard		
Certificates & standards ECE category British standard Logistical data	150	
Certificates & standards ECE category British standard Logistical data Order reference	150	
Certificates & standards ECE category British standard Logistical data Order reference Environmental information	150 N150	
Certificates & standards ECE category British standard Logistical data Order reference Environmental information Date of Declaration	150 N150 06-03-2024	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N150	4008321770745	Folding box	10

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com