



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

## Standard 5 W 24 V BA15d

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



### Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

## Product datasheet





N150

**Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

**Electrical Data**

Power input	7 W
Test voltage	28.0 V
Power input tolerance	±10 %
Nominal wattage	5 W
Nominal voltage	24 V

**Photometric Data**

Nominal luminous flux	50 lm
Luminous flux tolerance	±25 %

**Physical Attributes & Dimensions**

Diameter	16.0 mm
Product weight	7.00 g
Length	37.5 mm
Lamp base	BA15d
Diameter	16.0 mm

**Lifetime Data**

Lifespan Tc	225 hr
Lifespan B3	80 hr

**Certificates & standards**

ECE category	R5W
British standard	150

**Logistical data**


Order reference	N150
-----------------	------

**Environmental & Regulatory Information**

Primary article identifier	4008321770745
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N150	4008321770745	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



**NEOLUX**<sup>®</sup>  
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 4  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)