

Standard 4 W 24 V BA9s

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- Good quality thanks to German technology
- Normed light output

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting

Product datasheet





N249

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	5 W
Test voltage	28.0 V
Power input tolerance	±10 %
Nominal wattage	4 W
Nominal voltage	24.0 V

Photometric Data

Nominal luminous flux	35 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Product weight	2.02 g
Length	27.4 mm
Lamp base	BA9s
Diameter	9 mm

Lifetime Data

Lifespan Tc	350 hr
Lifespan B3	120 hr

Certificates & standards

ECE category	T4W
British standard	249

Logistical data


Order reference	N249
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321769350
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N249	4008321769350	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com