

# Standard 4 W 24 V BA9s

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



#### **Product family benefits**

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

### **Product family features**

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- · Good quality thanks to German technology
- Normed light output

#### Areas of application

- Position and parking light
- · Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

## **Product datasheet**




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	5 W	
Test voltage	28.0 V	
Power input tolerance	±10 %	
Nominal wattage	400 W	
Nominal voltage	240 V	
Photometrical data		
Luminous flux	35 lm	
Luminous flux tolerance	±20 %	
Dimensions & weight		
Product weight	202 g	
Length	274 mm	
Diameter	900 mm	
Lifespan		
Lifespan Tc	350 h 120 h	
Lifespan B3		
Additional product data		
Base (standard designation)	BA9s	
Certificates & standards	TAM	
ECE category	T4W	
British standard	249	
Logistical data		
Order reference	N249	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4006584590186	
,	4008321769350	
	4055462156068	
	4052899995635   5011274124915	
Candidate List Substance 1	No declarable	
Canadate Elst Substante 1		
	substances containe	

# **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N249	4008321769350	Folding box	10

## **Product datasheet**





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com