

Standard 5 W 24 V BA15d

NEOLUX 24 V halogen lamps provide a good view and visibility in all road conditions. The lamps are easy to replace – the 24 V standard replacement is the ideal choice for this task.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- Reliable products

Product family features

- Broad product range
- Designed specifically for 24 V
- Lamps for exterior applications are ECE certified
- · Good quality thanks to German technology
- Normed light output

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet




Application (Category and Product specific)	Auxiliary lamp	
Electrical data		
Power input	7 W	
Test voltage	28.0 V	
Power input tolerance	±10 %	
Nominal wattage	500 W	
Nominal voltage	240 V	
Photometrical data		
Luminous flux	50 lm	
Luminous flux tolerance	±25 %	
Dimensions & weight		
Product weight	700 g	
Length	375 mm	
Diameter	1600 mm	
Lifespan		
Lifespan Tc	225 h	
Lifespan B3	80 h	
Additional product data		
Additional product data Base (standard designation)	BA15d	
Certificates & standards		
ECE category	R5W	
British standard	150	
Logistical data		
Order reference	N150	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4008321770745	
Candidate List Substance 1	No declarable substances containe	
Declaration No. in SCIP database	No declarable	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N150	4008321770745	Folding box	10

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com