


## Standard 55 W 12 V PK22s



### Product family benefits

- Reliable manufacturer
- Reliable products
- Good illumination of the road
- Suitable for the most common motorcycle headlights
- Affordable

### Product family features

- Designed specifically for motorcycles
- Vibration-resistant
- ECE certified lamps
- Broad product range
- Good quality thanks to German technology

### Areas of application

- Headlight



N453



N453-01B

**Product information**

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

**Electrical data**

Power input	68 W
Test voltage	13.2 V
Nominal wattage	55.00 W
Nominal voltage	12.0 V

**Photometrical data**

Color temperature	3200 K
Luminous flux	1450 lm
Luminous flux tolerance	±15 %

**Dimensions & weight**

Product weight	6.50 g
Length	42.0 mm
Diameter	12.0 mm

**Lifespan**

Lifespan Tc	650 h
Lifespan B3	150 h

**Additional product data**

Base (standard designation)	PK22s
-----------------------------	-------

**Certificates & standards**


ECE category	H3
British standard	453

**Logistical data**

Order reference	N453
-----------------	------

**Packaging Information**

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N453	4008321760647	Folding box	1
NEOLUX N453-01B	4008321771193	Blister	1





NEOLUX Automotive Lighting  
OSRAM GmbH

Marcel-Breuer-Str 6  
80807 Munich, Germany

Phone +49 89 6213-0  
Fax +49 89 6213-2020

[www.neolux-lighting.com](http://www.neolux-lighting.com)