

Standard 35 W 12 V PGJ19-1



N708

Product family benefits

- Reliable manufacturer
- Reliable products
- Good illumination of the road
- Suitable for the most common motorcycle headlights
- Affordable

Product family features

- Designed specifically for motorcycles
- Vibration-resistant
- ECE certified lamps
- Broad product range
- Good quality thanks to German technology

Areas of application

- Headlight



N708

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

Electrical data

Power input	43 W
Test voltage	13.2 V
Nominal wattage	35.00 W
Nominal voltage	12.0 V

Photometrical data

Luminous flux	800 lm
Luminous flux tolerance	±15 %

Dimensions & weight

Product weight	22.54 g
Length	67.0 mm
Diameter	12.0 mm

Lifespan

Lifespan Tc	800 h
Lifespan B3	400 h

Additional product data

Base (standard designation)	PGJ19-1
-----------------------------	---------

Capabilities

Technology	Halogen lamp
------------	--------------

Certificates & standards


ECE category	H8
--------------	----

Logistical data

Order reference	N708
-----------------	------

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N708	4052899451674	Folding box	1





NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com