


# Standard 55 W 12 V PK22s



## **Product family benefits**

- Reliable manufacturer
- Reliable products
- Good illumination of the road
- Suitable for the most common motorcycle headlights
- Affordable

## **Product family features**


- Designed specifically for motorcycles
- Vibration-resistant
- ECE certified lamps
- · Broad product range
- Good quality thanks to German technology

#### Areas of application

Headlight

# **Product datasheet**






Application (Category and Product specific)	Halogen headlight lamp
Electrical data	
Power input	68 W
Test voltage	13.2 V
Nominal wattage	55.00 W
Nominal voltage	12.0 V
Photometrical data	
Color temperature	3200 K
Luminous flux	1450 lm
Luminous flux tolerance	±15 %
Dimensions & weight	
Product weight	6.90 g
Length	42.0 mm
Diameter	12.0 mm
Lifespan	
Lifespan Tc	650 h
Lifespan B3	150 h
Additional product data	
Base (standard designation)	PK22s
Capabilities	
Technology	Halogen lamp
Certificates & standards	
ECE category	Н3
British standard	453
Logistical data	
Order reference	N453
Environmental information	
Date of Declaration	06-03-2024
Primary Article Identifier	4006584363902   4008321760647   4008321771193   4052899198494   4055462201768   4055462246240   5011274045302   4055462309457
Candidate List Substance 1	No declarable substances contain
Declaration No. in SCIP database	In work

# **Packaging Information**

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N453	4008321760647	Folding box	1
N453-01B	4008321771193	Blister	1





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com