

Standard 55 W 12 V PGJ19-2



Product family benefits

- Reliable manufacturer
- Reliable products
- Good illumination of the road
- Suitable for the most common motorcycle headlights
- Affordable


Product family features

- Designed specifically for motorcycles
- Vibration-resistant
- ECE certified lamps
- · Broad product range
- Good quality thanks to German technology

Areas of application

Headlight

Product datasheet






Application (Category and Product specific)	Halogen headlight lamp	
Electrical data		
Power input	62 W	
Test voltage	13.2 V	
Nominal wattage	55.00 W	
Nominal voltage	12.0 V	
Photometrical data		
Color temperature	3200 K	
Luminous flux	1350 lm	
Luminous flux tolerance	±10 %	
Dimensions & weight		
Product weight	22.56 g	
Length	67.0 mm	
Diameter	12.0 mm	
Lifespan		
Lifespan Tc	580 h	
Lifespan B3	350 h	
Additional product data		
Base (standard designation)	PGJ19-2	
Capabilities		
Technology	Halogen lamp	
Certificates & standards		
ECE category	H11	
Logistical data		
Order reference	N711	
Environmental information		
Date of Declaration	06-03-2024	
Primary Article Identifier	4008321842244 4052899301412 4052899451636 4052899995536 4055462241252 4055462246226 5011274071103 4055462301833 4055462201782	
Candidate List Substance 1	No declarable substances contain	
D. I. C. M. C. COD I C. I.	I I	

Packaging Information

Declaration No. in SCIP database

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N711-01B	4052899301412	Blister	1
N711	4052899451636	Folding box	1

In work





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com