

Standard 21 W 12 V BA15s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Product family benefits

- Suitable for the most common signal and interior applications
- Affordable
- Reliable manufacturer
- For good visibility
- · Reliable products

Product family features

- Broad product range
- · Good quality thanks to German technology
- · Lamps for exterior applications are ECE certified
- · Normed light output
- Basis for good light distribution

Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet






Power input	25 W	
Test voltage	13.5 V	
Power input tolerance	±6 %	
Nominal wattage	2100 W	
Nominal voltage	120 V	
Photometrical data		
Luminous flux	460 lm	
Luminous flux tolerance	±15 %	
Dimensions & weight		
Product weight	720 g	
Length	525 mm	
Diameter	2700 mm	
Lifespan		
Lifespan Tc	320 h	
Lifespan B3	120 h	
Additional product data		
Base (standard designation)	BA15s	
Certificates & standards		
ECE category	P21W	
British standard	382	
Shirish Standard	302	
Logistical data		
Order reference	N382	
Environmental information		
	05-03-2024	
Environmental information Date of Declaration Primary Article Identifier	05-03-2024 3348675000268	
Date of Declaration	3348675000268 4006584594726	
Date of Declaration	3348675000268 4006584594726 4008321770479	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901 4055462052636	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901 4055462052636 4055462079763	
Date of Declaration Primary Article Identifier	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901 4055462052636 4055462079763 4055462300904 4055462347091	
Date of Declaration	3348675000268 4006584594726 4008321770479 4008321770929 4008321781154 4008321812674 4055462033901 4055462052636 4055462079763 4055462300904	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N382	4008321770479	Folding box	10
N382-02B	4008321781154	Blister	2

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com