



NEOLUX[®]
GERMAN TECHNOLOGY

Standard 3 W 12 V W2.1x9.5d

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- Instrument and switch lighting



N504

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

Electrical Data

Power input	3 W
Test voltage	13.5 V
Power input tolerance	±10 %
Nominal wattage	3 W
Nominal voltage	12 V

Photometric Data

Nominal luminous flux	22 lm
Luminous flux tolerance	±30 %

Physical Attributes & Dimensions

Diameter	10.0 mm
Product weight	1.34 g
Length	26.8 mm
Lamp base	W2.1x9.5d
Diameter	10.0 mm

Lifetime Data

Lifespan Tc	1500 hr
Lifespan B3	500 hr

Certificates & standards

ECE category	W3W
British standard	504

Logistical data


Order reference	N504
-----------------	------

Environmental & Regulatory Information

Primary article identifier	4008321770561
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N504	4008321770561	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1



NEOLUX[®]
GERMAN TECHNOLOGY

NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 4
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com