

Standard 6 W 12 V BAX9s

Whether you're a passionate biker or an occasional rider – NEOLUX always has the right lamp to enhance your riding experience. Thanks to technology specifically developed for motorcycles, NEOLUX motorcycle lamps with halogen technology are vibration-resistant.



Areas of application

- · Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights
- Interior lighting and reading lights
- · Instrument and switch lighting

Product datasheet




Application (Category and Product specific)	Auxiliary lamp	
Electrical Data		
Power input	7 W	
Test voltage	13.5 V	
Power input tolerance	±5 %	
Nominal wattage	6 W	
Nominal voltage	12 V	
Photometric Data		
Nominal luminous flux	125 lm	
Luminous flux tolerance	±12 %	
Physical Attributes & Dimensions		
Diameter	9 mm	
Product weight	2.30 g	
Length	33.0 mm	
Lamp base	BAX9s	
Diameter	9 mm	
Lifetime Data		
Lifespan Tc	500 hr	
Lifespan B3	200 hr	
Certificates & standards		
ECE category	H6W	
British standard	434	
Logistical data		
Order reference	N434	
Environmental & Regulatory Information		
Primary article identifier	4008321770387 4052899343795	
6 11 1 1 1 1 1 1 1	No declarable	
Candidate list substance 1	substances contain	

Packaging Information

Packaging description NEOLUX	EAN	Packaging type	Amount of article
N434	4008321770387	UNPACKED (UNPACKED SELLING UNIT FOR END USERS)	1

Product datasheet





NEOLUX Automotive Lighting OSRAM GmbH

Marcel-Breuer-Str 4 80807 Munich, Germany Phone +49 89 6213-0 Fax +49 89 6213-2020

www.neolux-lighting.com